

MATERIAL SAFETY DATA SHEET

Tattoo Innovations Tattoo Sealant

MSDS DATE: 04-09-2014

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Tattoo Innovations Tattoo Sealant
SYNONYMS: Tattoo Spray
PRODUCT CODES: N/A

MANUFACTURER: Bell International Laboratories
ADDRESS: 4525 Hiawatha Avenue, Minneapolis, MN 55406 USA

EMERGENCY PHONE: 612-721-3976
FAX PHONE: 612-724-5002

PRODUCT USE: Cosmetic/ Topcial Spray
PREPARED BY: Elizabeth Sherman, Manager of QC and Regulatory Affairs

SECTION 1 NOTES: N/A

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CAS NO.</u>	<u>% WT</u>	<u>OSHA Hazard</u>
SD Alcohol 40B (composed of)		<62	
(Ethyl Alcohol (1000ppm limit)	64-17-5	>97	Y)
(T-butyl Alcohol (100 ppm)	124-68-5	<0.3	N)
(Denatonium Benzoate	3734-33-6	<0.3	N)
Water and Inert Ingrediens	Proprietary	>38	N

SECTION 2 NOTES: Components used to prepare this product are in compliance with the Personal Care Products Council (formerly Cosmetic Toiletry Fragrance Association) and/or U.S. Pharmacopeia/National Formulary, and applicable FDA monograph, and Food chemical Codex (FCC).

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Avoid sparks, flame and excessive heat. May cause eye irritation or reddenign. Ingestion may cause gastro-intestinal tract irritation, nausea, diarrhea, vomiting. Prolonged skin contact may cause mild irritation in sensitive individuals. This product is intended for use as part of the kit and is expected to contact ths skin.

ROUTES OF ENTRY:skin, eyes, ingestion

ACUTE HEALTH HAZARDS: none known

CHRONIC HEALTH HAZARDS: none known

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: consult medical doctor

CARCINOGENICITY

OSHA: N/D
OTHER: N/D

ACGIH: N/D

NTP: N/D

IARC: N/D

SECTION 3 NOTES: N/A

MATERIAL SAFETY DATA SHEET

Tattoo Innovations Tattoo Sealant

MSDS DATE: 04-09-2014

SECTION 4: FIRST AID MEASURES

EYES: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention if irritation, redness or swelling persists or occurs.

SKIN: Wash off excess with water. Seek medical advice if redness, swelling, itching, or burning occurs.

INGESTION: Call a physician or poison control center immediately. If victim is conscious, rinse mouth with a small amount of water. Never give anything by mouth to a person who is unconscious or drowsy.

INHALATION: Move to fresh air. Obtain medical attention if irritation persists or product gets into lungs.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: N/D

SECTION 4 NOTES: N/A

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR, UPPER: N/D
(% BY VOLUME) LOWER: N/D

FLASH POINT: for pure ethanol

F: 55-61

C: 12.8-16.1

METHOD USED: closed cup

AUTOIGNITION TEMPERATURE:

F: N/D

C: N/D

EXTINGUISHING MEDIA: alcohol resistant foam, carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES: Water may be ineffective. Water may be used to keep exposed containers cool. Wear self-contained breathing apparatus and protective suit.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Flammable liquid. Careful around ignition sources.

HAZARDOUS DECOMPOSITION PRODUCTS: potentially carbon monoxide, carbon dioxide.

SECTION 5 NOTES: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Remove all sources of ignition. Ventilate the area. Contain and collect with inert absorbent material and place in a suitable container for disposal. Comply with all federal, state and local regulations for disposal.

SECTION 6 NOTES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Avoid sparks, flame and excessive heat.

OTHER PRECAUTIONS: Recommended storage temperature: 50°F-104°F (10 °C - 40 °C)

SECTION 7 NOTES: N/A

MATERIAL SAFETY DATA SHEET

Tattoo Innovations Tattoo Sealant

MSDS DATE: 04-09-2014

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Keep product away from open flames, sparks, excessive heat or other ignition sources.

VENTILATION : local exhaust ventilation recommended at points of large amounts of emission to reduce exposure to fumes and vapors during processing or large amounts. Ensure adequate ventilation to maintain airborne concentrations below applicable occupational exposure limits.

RESPIRATORY PROTECTION: Not required when used as directed.

EYE PROTECTION: Not required when used as directed.

SKIN PROTECTION: Not required when used as directed.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not required when used as directed.

WORK HYGIENIC PRACTICES: Normal safe working practices

SECTION 8 NOTES: Product is safe when used as directed.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE and Odor: Water thin clear to slightly hazy liquid with characteristic odor

pH AS SUPPLIED: N/A

SPECIFIC GRAVITY (H₂O = 1): 0.90 +/- 0.1
@ 25C

SOLUBILITY IN WATER: Soluble

SECTION 9 NOTES: N/A

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID (STABILITY): Avoid spark, flame, ignition sources, and excessive heat

INCOMPATIBILITY (MATERIAL TO AVOID): strong oxidizing agents

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: carbon monoxide, carbon dioxide

HAZARDOUS POLYMERIZATION: does not occur

SECTION 10 NOTES: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: N/D

SECTION 11 NOTES: N/A

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: N/D

SECTION 12 NOTES: N/A

MATERIAL SAFETY DATA SHEET

Tattoo Innovations Tattoo Sealant

MSDS DATE: 04-09-2014

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Treatment, storage, transportation and dispose of must be in according to applicable federal, state and local regulations.

SECTION 13 NOTES: N/A

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (USDOT)

Sizes greater than 1 liter:

PROPER SHIPPING NAME: Ethyl Alcohol Solution
HAZARD CLASS: 3
ID NUMBER: UN1170
PACKING GROUP: II
LABEL STATEMENT: Flammable Liquids

Sizes smaller than 1 liter:

PROPER SHIPPING NAME: Consumer Commodity
HAZARD CLASS: N/A
ID NUMBER: N/A
PACKING GROUP: N/A
LABEL STATEMENT: Consumer Commodity

AIR TRANSPORTATION (IATA)

Sizes greater than 500 mL:

PROPER SHIPPING NAME: Flammable Liquid N.O.S.
HAZARD CLASS: 3
ID NUMBER: UN1993
PACKING GROUP: II
LABEL STATEMENTS: See applicable regulations

Sizes smaller than 500 mL

PROPER SHIPPING NAME: Flammable Liquid N.O.S.
HAZARD CLASS: 3
ID NUMBER: 8000
PACKING GROUP: See applicable regulations
LABEL STATEMENTS: See applicable regulations

OTHER AGENCIES: see applicable regulations of other agencies

SECTION 14 NOTES: N/A

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): none

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): None

311/312 HAZARD CATEGORIES: None

313 REPORTABLE INGREDIENTS:None

STATE REGULATIONS: See applicable state regulations

INTERNATIONAL REGULATIONS: See applicable international regulations

SECTION 15 NOTES:N/A

MATERIAL SAFETY DATA SHEET

Tattoo Innovations Tattoo Sealant

MSDS DATE: 04-09-2014

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: Follow all directions when using this product.

PREPARATION INFORMATION: This MSDS is valid without signature. This version replaces all other versions

Abbreviations:

N/D = Not determined

N/A = Not applicable

DISCLAIMER:

The information contained in this Material Safety Data Sheet was obtained from current and reputable sources. However, this data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. It is the user's responsibility both to determine safe conditions for use of the product and to assume liability for loss, injury, damage or expenses resulting from improper use of this product. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize themselves with all applicable regulations.